國立彰化師範大學 99 學年度博士班招生考試試題

系所：__數學系__ 　　　　　選考丙　　　　　科目：__機率與統計__

1.

(1) (10%) For a sequence of random variable $X_1, X_2,..., X_n$, explain what is "Law of large number" and what is "Central limit theorem". (you can describe the most general one you know)

(2) (20%) Let $X_1, X_2,..., X_n$ be i.i.d. random variables with the exponential density

$$f_\theta(x) = \frac{1}{\theta} e^{-x/\theta}, \quad x > 0.$$

Here, $\theta > 0$ is unknown. We wish to estimate $g(\theta) = e^{-2/\theta}$. Consider two estimates

$$\delta_1 = g(\overline{X}_n), \quad \text{where} \quad \overline{X}_n = \frac{1}{n}\sum_{i=1}^{n} X_i,$$

and

$$\delta_2 = \frac{1}{n}\sum_{i=1}^{n} I_{[X_i>2]}, \quad \text{where} \quad I_{[X_i>2]} = \begin{cases} 1 & if \quad X_i > 2 \\ 0 & otherwise \end{cases}$$

For $i = 1,2$ find σ_i^2 so that

$$\sqrt{n}(\delta_i - g(\theta)) \xrightarrow{D} N(0, \sigma_i^2) \quad \text{as} \quad n \to \infty.$$

2. 依據主計處最新公佈: 全台有收入者中，「年收入破百萬」只有 8%的人達成。中位數大約在台幣四十萬。

(1) (10%) 假設有收入者之收入成常態分佈，年收入超過兩百萬的大概在前 X%，則 X 應該是遠大於 1，遠小於 1，或接近 1？（列出計算式）

(2) (5%)實際的統計是：領超過兩百萬的人是前 1％，大約有十二萬人。請據此判斷或評論台灣人收入之機率分配。

3. (20%) 爲驗證新手術（A）是否較舊手術（B）更能延長心臟病患者的壽命，挑選 10 位狀況相似的病人，隨機均勻分成兩組，５人接受A，５人接受B，５年後發現：

	alive	Dead	total
A	4	1	5
B	2	3	5
Total	6	4	10

在顯著水準 0.05 下，檢驗之。

系所：<u>數學系</u>　　　　　　　　<u>選考丙</u>　　　　　　科目：<u>機率與統計</u>

☆☆請在答案紙上作答☆☆　　　　　　　　　　　　　　　共 **6** 頁，第 **2** 頁

4. A microcomputer manufacturer has developed a regression model relating his sales (Y in $10,000s) with three independent variables. The three independent variables are price per unit (Price in $100s), advertising (ADV in $1,000s) and the number of product lines (Lines). Part of the regression results is shown below.

	Coefficient	**Standard Error**
Constant	1.0211	22.8752
Price	-0.1524	0.1411
ADV	0.8849	0.2886
Lines	-0.1463	1.5340

Analysis of Variance

Source of Variation	**Degrees of Freedom**	**Sum of Squares**	**Mean of Squares**	**F**
Regression		2708.61		
Error (Residuals)	14	2840.51		
Total				

(1) (2%) Use the above results and write the regression equation that can be used to predict sales.

(2) (2%) If the manufacturer has 10 product lines, advertising of $40,000, and the price per unit is $3,000, what is your estimate of their sales? **Give your answer in dollars**.

(3) (2%) Compute the coefficient of determination and fully interpret its meaning.

(4) (4%) At $\alpha = 0.05$, test to see if there is a significant relationship between sales and unit price.

(5) (4%) At $\alpha = 0.05$, test to see if there is a significant relationship between sales and the number of product lines.

(6) (3%) Is the regression model significant? (Perform an F test.)

(7) (2%) Fully interpret the meaning of the regression (coefficient of price) per unit that is, the slope for the price per unit.

(8) (1%) What has been the sample size for this analysis?

5. (15%) 舉一例，**具體**描述「機率」或「統計」在解決一些實際問題上的應用，以及此應用產生之效益。

Standard Normal Distribution　　Area between 0 and z

	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.0000	0.0040	0.0080	0.0120	0.0160	0.0199	0.0239	0.0279	0.0319	0.0359
0.1	0.0398	0.0438	0.0478	0.0517	0.0557	0.0596	0.0636	0.0675	0.0714	0.0753
0.2	0.0793	0.0832	0.0871	0.0910	0.0948	0.0987	0.1026	0.1064	0.1103	0.1141
0.3	0.1179	0.1217	0.1255	0.1293	0.1331	0.1368	0.1406	0.1443	0.1480	0.1517
0.4	0.1554	0.1591	0.1628	0.1664	0.1700	0.1736	0.1772	0.1808	0.1844	0.1879
0.5	0.1915	0.1950	0.1985	0.2019	0.2054	0.2088	0.2123	0.2157	0.2190	0.2224
0.6	0.2257	0.2291	0.2324	0.2357	0.2389	0.2422	0.2454	0.2486	0.2517	0.2549
0.7	0.2580	0.2611	0.2642	0.2673	0.2704	0.2734	0.2764	0.2794	0.2823	0.2852
0.8	0.2881	0.2910	0.2939	0.2967	0.2995	0.3023	0.3051	0.3078	0.3106	0.3133
0.9	0.3159	0.3186	0.3212	0.3238	0.3264	0.3289	0.3315	0.3340	0.3365	0.3389
1.0	0.3413	0.3438	0.3461	0.3485	0.3508	0.3531	0.3554	0.3577	0.3599	0.3621
1.1	0.3643	0.3665	0.3686	0.3708	0.3729	0.3749	0.3770	0.3790	0.3810	0.3830
1.2	0.3849	0.3869	0.3888	0.3907	0.3925	0.3944	0.3962	0.3980	0.3997	0.4015
1.3	0.4032	0.4049	0.4066	0.4082	0.4099	0.4115	0.4131	0.4147	0.4162	0.4177
1.4	0.4192	0.4207	0.4222	0.4236	0.4251	0.4265	0.4279	0.4292	0.4306	0.4319
1.5	0.4332	0.4345	0.4357	0.4370	0.4382	0.4394	0.4406	0.4418	0.4429	0.4441
1.6	0.4452	0.4463	0.4474	0.4484	0.4495	0.4505	0.4515	0.4525	0.4535	0.4545
1.7	0.4554	0.4564	0.4573	0.4582	0.4591	0.4599	0.4608	0.4616	0.4625	0.4633
1.8	0.4641	0.4649	0.4656	0.4664	0.4671	0.4678	0.4686	0.4693	0.4699	0.4706
1.9	0.4713	0.4719	0.4726	0.4732	0.4738	0.4744	0.4750	0.4756	0.4761	0.4767

2.0	0.4772	0.4778	0.4783	0.4788	0.4793	0.4798	0.4803	0.4808	0.4812	0.4817
2.1	0.4821	0.4826	0.4830	0.4834	0.4838	0.4842	0.4846	0.4850	0.4854	0.4857
2.2	0.4861	0.4864	0.4868	0.4871	0.4875	0.4878	0.4881	0.4884	0.4887	0.4890
2.3	0.4893	0.4896	0.4898	0.4901	0.4904	0.4906	0.4909	0.4911	0.4913	0.4916
2.4	0.4918	0.4920	0.4922	0.4925	0.4927	0.4929	0.4931	0.4932	0.4934	0.4936
2.5	0.4938	0.4940	0.4941	0.4943	0.4945	0.4946	0.4948	0.4949	0.4951	0.4952
2.6	0.4953	0.4955	0.4956	0.4957	0.4959	0.4960	0.4961	0.4962	0.4963	0.4964
2.7	0.4965	0.4966	0.4967	0.4968	0.4969	0.4970	0.4971	0.4972	0.4973	0.4974
2.8	0.4974	0.4975	0.4976	0.4977	0.4977	0.4978	0.4979	0.4979	0.4980	0.4981
2.9	0.4981	0.4982	0.4982	0.4983	0.4984	0.4984	0.4985	0.4985	0.4986	0.4986
3.0	0.4987	0.4987	0.4987	0.4988	0.4988	0.4989	0.4989	0.4989	0.4990	0.4990

t distribution with right tail probabilities

df\p	0.40	0.25	0.10	0.05	0.025	0.01	0.005	0.0005
1	0.324920	1.000000	3.077684	6.313752	12.70620	31.82052	63.65674	636.6192
2	0.288675	0.816497	1.885618	2.919986	4.30265	6.96456	9.92484	31.5991
3	0.276671	0.764892	1.637744	2.353363	3.18245	4.54070	5.84091	12.9240
4	0.270722	0.740697	1.533206	2.131847	2.77645	3.74695	4.60409	8.6103
5	0.267181	0.726687	1.475884	2.015048	2.57058	3.36493	4.03214	6.8688
6	0.264835	0.717558	1.439756	1.943180	2.44691	3.14267	3.70743	5.9588
7	0.263167	0.711142	1.414924	1.894579	2.36462	2.99795	3.49948	5.4079
8	0.261921	0.706387	1.396815	1.859548	2.30600	2.89646	3.35539	5.0413

9	0.260955	0.702722	1.383029	1.833113	2.26216	2.82144	3.24984	4.7809
10	0.260185	0.699812	1.372184	1.812461	2.22814	2.76377	3.16927	4.5869
11	0.259556	0.697445	1.363430	1.795885	2.20099	2.71808	3.10581	4.4370
12	0.259033	0.695483	1.356217	1.782288	2.17881	2.68100	3.05454	4.3178
13	0.258591	0.693829	1.350171	1.770933	2.16037	2.65031	3.01228	4.2208
14	0.258213	0.692417	1.345030	1.761310	2.14479	2.62449	2.97684	4.1405
15	0.257885	0.691197	1.340606	1.753050	2.13145	2.60248	2.94671	4.0728
16	0.257599	0.690132	1.336757	1.745884	2.11991	2.58349	2.92078	4.0150
17	0.257347	0.689195	1.333379	1.739607	2.10982	2.56693	2.89823	3.9651
18	0.257123	0.688364	1.330391	1.734064	2.10092	2.55238	2.87844	3.9216
19	0.256923	0.687621	1.327728	1.729133	2.09302	2.53948	2.86093	3.8834
20	0.256743	0.686954	1.325341	1.724718	2.08596	2.52798	2.84534	3.8495
21	0.256580	0.686352	1.323188	1.720743	2.07961	2.51765	2.83136	3.8193
22	0.256432	0.685805	1.321237	1.717144	2.07387	2.50832	2.81876	3.7921
23	0.256297	0.685306	1.319460	1.713872	2.06866	2.49987	2.80734	3.7676
24	0.256173	0.684850	1.317836	1.710882	2.06390	2.49216	2.79694	3.7454
25	0.256060	0.684430	1.316345	1.708141	2.05954	2.48511	2.78744	3.7251
26	0.255955	0.684043	1.314972	1.705618	2.05553	2.47863	2.77871	3.7066
27	0.255858	0.683685	1.313703	1.703288	2.05183	2.47266	2.77068	3.6896
28	0.255768	0.683353	1.312527	1.701131	2.04841	2.46714	2.76326	3.6739
29	0.255684	0.683044	1.311434	1.699127	2.04523	2.46202	2.75639	3.6594
30	0.255605	0.682756	1.310415	1.697261	2.04227	2.45726	2.75000	3.6460

F distribution table for $\alpha = 0.05$

$F_{(.05, df1, df2)}$

df2/df1	1	2	3	4	5	6	7	8	9	10
1	161.44	199.50	215.70	224.58	230.16	233.98	236.76	238.88	240.54	241.88
2	18.512	19.000	19.164	19.246	19.296	19.329	19.353	19.371	19.384	19.395
3	10.128	9.5521	9.2766	9.1172	9.0135	8.9406	8.8867	8.8452	8.8123	8.7855
4	7.7086	6.9443	6.5914	6.3882	6.2561	6.1631	6.0942	6.0410	5.9988	5.9644
5	6.6079	5.7861	5.4095	5.1922	5.0503	4.9503	4.8759	4.8183	4.7725	4.7351
6	5.9874	5.1433	4.7571	4.5337	4.3874	4.2839	4.2067	4.1468	4.0990	4.0600
7	5.5914	4.7374	4.3468	4.1203	3.9715	3.8660	3.7870	3.7257	3.6767	3.6365
8	5.3177	4.4590	4.0662	3.8379	3.6875	3.5806	3.5005	3.4381	3.3881	3.3472
9	5.1174	4.2565	3.8625	3.6331	3.4817	3.3738	3.2927	3.2296	3.1789	3.1373
10	4.9646	4.1028	3.7083	3.4780	3.3258	3.2172	3.1355	3.0717	3.0204	2.9782
11	4.8443	3.9823	3.5874	3.3567	3.2039	3.0946	3.0123	2.9480	2.8962	2.8536
12	4.7472	3.8853	3.4903	3.2592	3.1059	2.9961	2.9134	2.8486	2.7964	2.7534
13	4.6672	3.8056	3.4105	3.1791	3.0254	2.9153	2.8321	2.7669	2.7144	2.6710
14	4.6001	3.7389	3.3439	3.1122	2.9582	2.8477	2.7642	2.6987	2.6458	2.6022
15	4.5431	3.6823	3.2874	3.0556	2.9013	2.7905	2.7066	2.6408	2.5876	2.5437
16	4.4940	3.6337	3.2389	3.0069	2.8524	2.7413	2.6572	2.5911	2.5377	2.4935
17	4.4513	3.5915	3.1968	2.9647	2.8100	2.6987	2.6143	2.5480	2.4943	2.4499
18	4.4139	3.5546	3.1599	2.9277	2.7729	2.6613	2.5767	2.5102	2.4563	2.4117
19	4.3807	3.5219	3.1274	2.8951	2.7401	2.6283	2.5435	2.4768	2.4227	2.3779
20	4.3512	3.4928	3.0984	2.8661	2.7109	2.5990	2.5140	2.4471	2.3928	2.3479