30% 1. To study the relationship between age and salary, samples from two companies are collected, and the variables "age" and "salary" are recorded in year and NT$. Both companies fit the following simple regression model to their own data sets:

$$Salary = \alpha + \beta \cdot Age + \varepsilon$$

Let $\hat{\beta}_i =$ the least square estimate of β, $R_i^2 = R^2$ for the model, $F_i = F$ value for testing $H_0 : \beta_i = 0$, $p_i = p - value$ for testing $H_0 : \beta_i = 0$ based on F_i from the company i, $i = 1,2$. Suppose σ^2's are equal and the sample sizes are the same for the two studies.

Answer "TRUE" or "FALSE" to the following questions.

(a) If $p_1 < p_2$, then $|\hat{\beta}_1| > |\hat{\beta}_2|$. (3%)

(b) If $R_1^2 > R_2^2$, then $|\hat{\beta}_1| > |\hat{\beta}_2|$. (3%)

(c) If $F_1 < F_2$, then $p_1 > p_2$. (3%)

(d) If $R_1^2 > R_2^2$, then the above linear regression model provides better fit to the first data set than to the second data set. (3%)

(e) Since σ^2's are equal and the sample sizes are the same for the two studies, then $Var(\hat{\beta}_1) = Var(\hat{\beta}_2)$. (3%)

(f) The sum of residuals of fitted model $Sa\hat{l}ary = \hat{\alpha} + \hat{\beta} \cdot Age$ is always equal to zero. (3%)

If we change the coding from year and NT$ to month and US$,

(g) The estimates for α and β will be affected due to the changes. (3%)

(h) MSE will be affected due to the changes. (3%)

(i) R^2 will be affected due to the changes. (3%)

(j) The $p - value$ for testing $H_0 : \beta = 0$ changed. (3%)

30% 2. The following regression model has been used to estimate the beginning salaries in dollars of employees:

$$Y = \beta_0 + \beta_1 X_1 + \beta_2 X_2 + \varepsilon,$$

where Y is the value of the beginning salaries in dollars of employees in a given company, X_1 is the number of months of previous work experience, and X_2 is the number of months with the company.

A sample of 17 observations was obtained, with the results summarized in the following table.

Predictor	Coef	Stdev	t-value
constant	-1339.00	173.80	-7.70
X1	12.7406	0.9047	14.08
X2	85.953	8.729	9.85
s=10.18	R-sq=0.6428		

(a) What is the interpretation of the coefficients β_1 and β_2 in the above model? (5%)

(b) What is the adjusted coefficient of multiple determination for the model? (5%)

(c) Test the hypothesis that $\beta_1 = 20$ against the alternative that is greater than 20. Control the test at 5% level of significance. (5%)

(d) Do the two explanatory variables X_1 and X_2 (consider together) have a statistically significant effect on the beginning salaries of employees? Control the test at 5% level of significance. (5%)

(e) If we add a new explanatory variable, education, that has three levels according to the years of schooling at the time of hire (<10, 10-12, and >12) into the original regression model, how do you code the new variable? (5%)

(f) If we add an interaction between explanatory variable X_2 and the education which is mentioned in (e), what is the interpretation of the interaction term? (5%)

15% 3. 若有三種減肥藥，分別為 A、B 和 C 藥，用於為期兩年的減重計畫實驗中，隨機抽取 30 人，並分成 3 組，以下為每組人數，及每組減輕體重的平均數和變異數：

減肥藥	人數	平均數	變異數
A	12	12	5
B	10	15	6
C	8	13	7

(a) 試在顯著水準 5%之下，檢定三種減肥藥之效應是否相同？請寫出虛無及對立假設，所使用的檢定統計量，及結論。(10%)

(b) 假如忽略 C 藥，只考慮 A 藥和 B 藥兩種減肥藥時，試在顯著水準 5%之下，檢定此兩種減肥藥的效應是否相同？(5%)

25% 4. 比較 CHOP 與 BCOP 兩種化學治療淋巴瘤病人療效的隨機分派臨床試驗中，得到下列結果：

治療組	緩解	無緩解	病人數
CHOP	60	40	100
BCOP	40	60	100

(a) 試在顯著水準 5%之下，檢定是否 CHOP 組比 BCOP 組的病人緩解機率高。請寫出虛無及對立假設，所使用的檢定統計量，及結論。(10%)

(b) 若對立假說中，期盼的 CHOP 組與 BCOP 組的緩解機率是 60%與 40%，請計算此臨床試驗之統計檢定力。(15%)

附表：



z	0.00	0.01	0.02	0.03	0.04	0.05	0.06	0.07	0.08	0.09
0.0	0.0000	0.0040	0.0080	0.0120	0.0160	0.0199	0.0239	0.0279	0.0319	0.0359
0.1	0.0398	0.0438	0.0478	0.0517	0.0557	0.0596	0.0636	0.0675	0.0714	0.0753
0.2	0.0793	0.0832	0.0871	0.0910	0.0948	0.0987	0.1026	0.1064	0.1103	0.1141
0.3	0.1179	0.1217	0.1255	0.1293	0.1331	0.1368	0.1406	0.1443	0.1480	0.1517
0.4	0.1554	0.1591	0.1628	0.1664	0.1700	0.1736	0.1772	0.1808	0.1844	0.1879
0.5	0.1915	0.1950	0.1985	0.2019	0.2054	0.2088	0.2123	0.2157	0.2190	0.2224
0.6	0.2257	0.2291	0.2324	0.2357	0.2389	0.2422	0.2454	0.2486	0.2517	0.2549
0.7	0.2580	0.2611	0.2642	0.2673	0.2704	0.2734	0.2764	0.2794	0.2823	0.2852
0.8	0.2881	0.2910	0.2939	0.2967	0.2995	0.3023	0.3051	0.3078	0.3106	0.3133
0.9	0.3159	0.3186	0.3212	0.3238	0.3264	0.3289	0.3315	0.3340	0.3365	0.3389
1.0	0.3413	0.3438	0.3461	0.3485	0.3508	0.3531	0.3554	0.3577	0.3599	0.3621
1.1	0.3643	0.3665	0.3686	0.3708	0.3729	0.3749	0.3770	0.3790	0.3810	0.3830
1.2	0.3849	0.3869	0.3888	0.3907	0.3925	0.3944	0.3962	0.3980	0.3997	0.4015
1.3	0.4032	0.4049	0.4066	0.4082	0.4099	0.4115	0.4131	0.4147	0.4162	0.4177
1.4	0.4192	0.4207	0.4222	0.4236	0.4251	0.4265	0.4279	0.4292	0.4306	0.4319
1.5	0.4332	0.4345	0.4357	0.4370	0.4382	0.4394	0.4406	0.4418	0.4429	0.4441
1.6	0.4452	0.4463	0.4474	0.4484	0.4495	0.4505	0.4515	0.4525	0.4535	0.4545
1.7	0.4554	0.4564	0.4573	0.4582	0.4591	0.4599	0.4608	0.4616	0.4625	0.4633
1.8	0.4641	0.4649	0.4656	0.4664	0.4671	0.4678	0.4686	0.4693	0.4699	0.4706
1.9	0.4713	0.4719	0.4726	0.4732	0.4738	0.4744	0.4750	0.4756	0.4761	0.4767
2.0	0.4772	0.4778	0.4783	0.4788	0.4793	0.4798	0.4803	0.4808	0.4812	0.4817
2.1	0.4821	0.4826	0.4830	0.4834	0.4838	0.4842	0.4846	0.4850	0.4854	0.4857
2.2	0.4861	0.4864	0.4868	0.4871	0.4875	0.4878	0.4881	0.4884	0.4887	0.4890
2.3	0.4893	0.4896	0.4898	0.4901	0.4904	0.4906	0.4909	0.4911	0.4913	0.4916
2.4	0.4918	0.4920	0.4922	0.4925	0.4927	0.4929	0.4931	0.4932	0.4934	0.4936
2.5	0.4938	0.4940	0.4941	0.4943	0.4945	0.4946	0.4948	0.4949	0.4951	0.4952
2.6	0.4953	0.4955	0.4956	0.4957	0.4959	0.4960	0.4961	0.4962	0.4963	0.4964
2.7	0.4965	0.4966	0.4967	0.4968	0.4969	0.4970	0.4971	0.4972	0.4973	0.4974
2.8	0.4974	0.4975	0.4976	0.4977	0.4977	0.4978	0.4979	0.4979	0.4980	0.4981
2.9	0.4981	0.4982	0.4982	0.4983	0.4984	0.4984	0.4985	0.4985	0.4986	0.4986
3.0	0.4987	0.4987	0.4987	0.4988	0.4988	0.4989	0.4989	0.4989	0.4990	0.4990



df\Pr	0.25	0.1	0.05	0.025	0.01	0.005
1	1.000	3.078	6.314	12.706	31.821	63.657
2	0.816	1.886	2.920	4.303	6.965	9.925
3	0.765	1.638	2.353	3.182	4.541	5.841
4	0.741	1.533	2.132	2.776	3.747	4.604
5	0.727	1.476	2.015	2.571	3.365	4.032
6	0.718	1.440	1.943	2.447	3.143	3.707
7	0.711	1.415	1.895	2.365	2.998	3.499
8	0.706	1.397	1.860	2.306	2.896	3.355
9	0.703	1.383	1.833	2.262	2.821	3.250
10	0.700	1.372	1.812	2.228	2.764	3.169
11	0.697	1.363	1.796	2.201	2.718	3.106
12	0.695	1.356	1.782	2.179	2.681	3.055
13	0.694	1.350	1.771	2.160	2.650	3.012
14	0.692	1.345	1.761	2.145	2.624	2.977
15	0.691	1.341	1.753	2.131	2.602	2.947
16	0.690	1.337	1.746	2.120	2.583	2.921
17	0.689	1.333	1.740	2.110	2.567	2.898
18	0.688	1.330	1.734	2.101	2.552	2.878
19	0.688	1.328	1.729	2.093	2.539	2.861
20	0.687	1.325	1.725	2.086	2.528	2.845
21	0.686	1.323	1.721	2.080	2.518	2.831
22	0.686	1.321	1.717	2.074	2.508	2.819
23	0.685	1.319	1.714	2.069	2.500	2.807
24	0.685	1.318	1.711	2.064	2.492	2.797
25	0.684	1.316	1.708	2.060	2.485	2.787
26	0.684	1.315	1.706	2.056	2.479	2.779
27	0.684	1.314	1.703	2.052	2.473	2.771
28	0.683	1.313	1.701	2.048	2.467	2.763
29	0.683	1.311	1.699	2.045	2.462	2.756
30	0.683	1.310	1.697	2.042	2.457	2.750
inf	0.674	1.282	1.645	1.960	2.326	2.576



df2/df1	1	2	3	4	5	6	7	8	9	10
1	161.45	199.50	215.71	224.58	230.16	233.99	236.77	238.88	240.54	241.88
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38	19.40
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24
26	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22
27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19
29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.18